# GELATEC


# PLATINUM




# PLATINUM DISPLAY LINE IS MANUFACTURED TO THE FOLLOWING VERSIONS:

### 1. VENTILATED ICE CREAM

### 2. VENTILATED COLD PASTRY OR SNACK





### PERFORMANCE

FUNCTIONING TEMPERATURE - 20
PRODUCT CONSERVATION TEMPERATURE - 18
CLIMATIC CLASS + 4
COMPRESSOR TYPE HERMETIC
DEFROST REVERSE CYCLE
REFRIGERANT GAS R404A
ELECTRIC POWER SUPPLY V/PH/HZ 400/3/50

### PERFORMANCE

 FUNCTIONING TEMPERATURE
 + 2

 PRODUCT CONSERVATION TEMPERATURE
 + 4

 CLIMATIC CLASS
 + 4

 COMPRESSOR TYPE
 HERMETIC

 DEFROST
 AUTOMATIC

 REFRIGERANT GAS
 R404A

 ELECTRIC POWER V/PH/HZ
 230/1/50



## 1. VENTILATED ICE CREAM

L 1200/ 12 TRAYS	
Н	1200
W	1050
KG	180

L 1715/ 18 TRAYS	
Н	1200
W	1700
KG	250

L 2200/ 24 TRAYS	
Н	1200
W	2400
KG	310



- THE SHOWCASE'S BODY IS MADE BY STAINLESS STEEL AISI 304 INSULATED WITH ECOLOGICAL POLYURETHANE WITH DENSITY 42KG/M3.
- THE SYSTEM IS CONTROLLED BY ELECTRONIC THERMOSTAT WITH INSULATION INDEX IP65 AND LED DISPLAY.
- THE EVAPORATOR HAS BEEN TREATED WITH A SPECIAL ANTITOXIC PIGMENT IN ORDER TO AVOID THE TRANSMISSION OF TOXICITY TO THE PRODUCTS.
- THE DEFROST MODE BY REVERSE CYCLE ENSURES THE BEST CONSERVATION OF ICE CREAM.
- THE LIGHTING SYSTEM IS TO LED LAMPS TO PREVENT OVERHEATING IN THE REFRIGERATED SPACE.
- THE DOUBLE CRYSTALS ARE HEATED ON ALL SIDES TO AVOID HUMIDITY CONDENSING ISSUES.
- PLATINUM LINE CAN GUARANTEE THE IDEAL ICE CREAM CONSERVATION AND HOMOGENEOUS TEMPERATURE IN ALL THE LENGTH OF THE DISPLAY EVEN USING THE "MOUNTAIN GELATO" TECHNIQUE.
- ALSO IT HAS POLYCARBONATE SLIDING DOORS IN THE BACK FOR EASY AND QUICK ACCESS BY THE USER.







